

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (original) A photodetector comprising:

at least one electron transporting organic material; and
at least one hole transporting material,
wherein said at least one electron transporting organic material has an ionization potential of more than 5.5 eV.
2. (original) A photodetector comprising:

at least one electron transporting organic material; and
at least one hole transporting material,
wherein an ionization potential of said at least one electron transporting organic material is larger than an energy necessary for the highest-level electron of said at least one hole transporting material to be taken out to a vacuum infinite far point.
3. (original) The photodetector according to claim 2,
wherein said at least one hole transporting material is at least one hole transporting organic material,
wherein an ionization potential of said at least one electron transporting organic material is more than an ionization potential of said at least one hole transporting organic material.
4. (currently amended) The photodetector according to claim 1 ~~any of claims 1 to 3~~,
wherein the ionization potential of said at least one electron transporting organic material is more than 6.0 eV.
5. (currently amended) The photodetector according to claim 1 ~~any of claims 1 to 4~~,
wherein said at least one electron transporting organic material is a compound represented by formula (I):


Formula (I)



wherein m represents an integer of 2 or more;
L represents a linking group; and
each of A's independently represents a hetero ring group where at least two aromatic hetero rings are condensed to each other, and A's are the same or different.

6. (currently amended) The photodetector according to claim 1 ~~any of claims 1 to 5~~, wherein said at least one electron transporting organic material is a compound represented by formula (III):


Formula (III)



wherein m represents an integer of 2 or more;
L represents a linking group;
each of X's independently represents O, S, Se, Te or N-R;
R represents a hydrogen atom, an aliphatic hydrocarbon group, an aryl group or a hetero ring group; and
each of Q₃'s independently represents an atomic group necessary for forming an aromatic hetero ring.

7. (currently amended) The photodetector according to claim 1 ~~any of claims 1 to 6~~, wherein said at least one electron transporting organic material is a compound represented by formula (V):

Formula (V)




wherein m represents an integer of 2 or more;
L represents a linking group;
each of X₅'s independently represents O, S or N-R;

R represents a hydrogen atom, an aliphatic hydrocarbon group, an aryl group or a hetero ring group; and

each of Q₅'s independently represents an atomic group necessary for forming a 6-membered nitrogen-containing aromatic hetero ring.

8. (currently amended) The photodetector according to claim 1 ~~any of claims 1 to 7~~, wherein said at least one electron transporting organic material is a compound represented by formula (VII):

Formula (VII)



wherein n represents an integer of 2 to 8;


L represents a linking group;

each of R's independently represents a hydrogen atom, an aliphatic hydrocarbon group, an aryl group or a hetero ring group; and

each of Q₇'s independently represents an atomic group necessary for forming a 6-membered nitrogen-containing aromatic hetero ring.

9. (currently amended) The photodetector according to claim 1 ~~any of claims 1 to 8~~, wherein said at least one electron transporting organic material is a compound represented by formula (VIII):

Formula (VIII)



wherein Q₈₁, Q₈₂ and Q₈₃ each independently represents an atomic group necessary for forming a 6-membered nitrogen-containing aromatic hetero ring;


R₈₁, R₈₂ and R₈₃ each independently represents a hydrogen atom, an aliphatic hydrocarbon group, an aryl group or a hetero ring group;

L₁, L₂ and L₃ each independently represents a linking group; and

Y represents a nitrogen atom or a 1,3,5-benzenetriyl group.

10. (currently amended) The photodetector according to claim 1 ~~any of claims 1 to 9~~, wherein said at least one electron transporting organic material is a compound represented by formula (IX):

Formula (IX)




wherein Q₉₁, Q₉₂ and Q₉₃ each independently represents an atomic group necessary for forming a 6-membered nitrogen-containing aromatic hetero ring; and

R_{91} , R_{92} and R_{93} each independently represents a hydrogen atom, an aliphatic hydrocarbon group, an aryl group or a hetero ring group.

11. (currently amended) The photodetector according to claim 1 ~~any of claims 1 to 5~~, wherein said at least one electron transporting organic material is a compound represented by formula (XI):

Formula (XI)



wherein m represents an integer of 2 or more;

L represents a linking group;

each of Q_3 's independently represents an atomic group necessary for forming an aromatic hetero ring group; and

each of R_{11} 's independently represents a hydrogen atom or a substituent.

12. (currently amended) The photodetector according to claim 1 ~~any of claims 1 to 11~~, further comprising:

at least one transparent electrode; and

at least one electrode,

wherein said at least one electron transporting organic material is interposed between said at least one transparent electrode and said at least one electrode.

13. (currently amended) The photodetector according to claim 1 ~~any of claims 1 to 12~~, further comprising:

at least one transparent electrode; and

at least one electrode,

wherein said at least one electron transporting organic material and said at least one hole transporting material are interposed between said at least one transparent electrode and said at least one electrode.

14. (currently amended) The photodetector according to claim 3 ~~any of claims 3 to 12~~, further comprising:

at least one transparent electrode; and

at least one electrode,

wherein said at least one electron transporting organic material and said at least one hole transporting organic material are interposed between said at least one transparent electrode and said at least one electrode.

15. (currently amended) The photodetector according to claim 1 ~~any of claims 1, 2 and 13~~,

wherein said at least one electron transporting organic material is deposited in vacuum.

16. (currently amended) The photodetector according to claim 3 ~~any of claims 3 to 12 and 14~~,

wherein at least one of said at least one electron transporting organic material and said at least one hole transporting organic material is deposited in vacuum.

17. (currently amended) An imaging device comprising a photodetector according to claim 1 ~~any of claims 1 to 16~~.

18. (original) The imaging device according to claim 17, further comprising:

a substrate;

a first layer comprising a first photodetector; and

a second layer comprising a second photodetector.

19. (original) The imaging device according to claim 17, further comprising:

a substrate;

a first layer comprising a first photodetector;

a second layer comprising a second photodetector; and

a third layer comprising a third photodetector.

20. (original) The imaging device according to claim 19,
wherein the first photodetector comprises a blue light photodetector; the second
photodetector comprises a green light photodetector; and the third photodetector comprises a
red light photodetector.